

(Translation)

Japanese Unexamined Utility Model Application

Publication No. 49-107082

Publication Date: September 12, 1974

Title of Invention

Load Carrying Hanger in Trolley Conveyor

What is claimed is:

A load carrying hanger in a trolley conveyor comprising at least two traveling trolleys 2a, 2b provided at an interval L in a longitudinal direction of a conveyor rail 1, wherein

the relative interval L of the two traveling trolleys 2a, 2b is designed to be changeable.

THIS PAGE BLANK (USPTO)

#2927

⑤日本分類  
83(5)E 04

⑬日本国特許庁  
公開実用新案公報

庁内整理番号 6729-38

⑪実開昭49-107082

⑬公開 昭49(1974). 9.12

審査請求 未請求

⑤トロリーコンベヤに於ける荷物運搬用ハンガー

①実 願 昭48-6498

②出 願 昭48(1973)1月9日

⑦考 案 者 大西弘文  
大阪市西淀川区御幣島3の2の  
11大福機工株式会社内

⑦出 願 人 大福機工株式会社  
大阪市西淀川区御幣島3の2の  
11

⑦代 理 人 弁理士 藤田辰之丞 外2名

⑤7実用新案登録請求の範囲


コンベヤレール1の長さ方向に間隔Lを隔てて

少なくとも二つ以上の走行トロリー2a, 2bを  
装着して成るトロリーコンベヤに於ける荷物運搬  
用ハンガーであつて、前記二つの走行トロリー  
2a, 2bの相対間隔Lを一定範囲内で自由に変  
更可能に構成してあることを特徴とするトロリー  
コンベヤに於ける荷物運搬用ハンガー。


図面の簡単な説明

図面は本考案に係るトロリーコンベヤに於ける  
荷物運搬用ハンガーの実施の態様を例示し、第1  
図はコンベヤラインのレイアウト、第2図は要部  
の拡大側面図、第3図は要部の拡大平面図、第4  
図は第3図の拡大一部切欠図である。1……コン  
ベヤレール、2a, 2b……走行トロリー。


第1図



第2図



第3図



第4図

